JBM DWESSAGEFORMEASE 2001/04/02		0010013-2
CURITY CLASSIFICATION	2 April 12 32z	
TYPE MSG BOOK MULTI SINGLE		
PRECEDENCE		
THE LOCAL TO SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STA		Tenecial Instruction
FROM		1 SIG CEN.
10.		1 CAR
INFO: TREGRITY	25X1A	1 ECO
A ubi	25X1A	
A. MISSION NBR. BX6732		
B. FINAL AVALUATION OF INS DATA.		
c. Ins Au		
D. HATA STARTS LINE 23, TILL POP	k.	
DATA ENDS LINE 1958, THE 1312	24.	
ELAPSED TIPE RECORDING BETWEEN	N TIMES 11583 AND 11592,	
LINE 871, HAS SISSING LEAST S	IGHIFICANT LIGIT.	
SUGGEST 11587.		
KND	OF MLSSAGE	
	÷	DATE TIME
		MONTH YEAR
ILLEGIB	PRECEDENCE PRECEDENCE PRECEDENCE PRECEDENCE PROM 25X1A 1 COR 1 CO	
ABBROWER REMEASE 2001/04/02: CIA-RDP69B00041R SECURITY CLASSIFICATION TYPE MSG PRECEDENCE PRECEDENCE ACTION INFO: PRICEDITY 25X1. 10: 25X1. 10: 25X1. 25X1. 10: 25X1. 25X1		
	E	

25X1D Approved For Release 2001/04/02 : CIA-RDP69B00041R001100010013-2 Next 3 Page(s) In Document Exempt

ZCZC259

555/271255Z ZFF-1

BT

XXXXX

25X1A

TOPSECRET 271250Z CITE

2653

25X1A

IMMEDIATE

25X1A

OXCART BLACK SHIELD

25X1A

HET 4: BX6732

111

25X1A

THE EXPOSURE NUMBERS AND SHUTTER SPEEDS TO BE USED FOR

BX 5732 WILL BE PROVIDED BY

25X1A

REDUEST YOU ADVISE PROJ HOS BY IMMEDIATE MSG WHAT CAMERA SETTINGS WILL BE USED FOR BX6738. HAZE FACTOR IS "ONE" FOR PASS ONE AND PASS TWO.

TOPSEGRET

ST

Action Decemit

MZCZC894 Approved F 1/04/02: CIA-RDP69B00041R001100010013-2 25X1A LT XXXXX 25X1A 25X1A 25X1A TOPSECRET 188230Z CITE 25X1A PRIORITY 25X1A BX 6732 INS - FILM CORRELATION REPORT INS 810 1. SATISFACTORY 2. FILM DATA BLOCK WAS RECORDING HIGHER THAN THE INS TAPE THROUGHOUT MISSION BY A CONSTANT 12 MINUTES. PILM PATA PLOCK WAS RECORDING HIGHER THAN THE TABLE THROUGHOUT MISSION BY A CONSTANT 14 MINUTES. 4. SATISFACTORY 5 SATISFACTORY S. SATISFACTORY 7. SATISFACTORY H. FILM DATA BLOCK WAS PECONDING LOWER THAN THE INS THERE THROUGHOUT MISSION BY A CONSTANT 532 KNOTS. SATISFACTORY 18. FILM CLOCK WAS RECORDING 1 SECOND HIGH THROUGHOUT MISSION.

C. ALTHOUGH THERE WERE DIFFERENCES BETWEEN THE FILM CLOCK AND THE

TOPSECRET

THE TAPE A SATISFACTORY CORRELATION HAS BEEN ACHIEVED ON THE HISSION.

2600rs7 21 Jf:

588 825 1).0953ZCZC992

572/26:11@Z ZFF3

BT

XXXXX

25X1A

TOPSECRET 262101Z CITE INFO IMMEDIATE

25X1A 25X1A

25X1A

25X1A

25X1A

EYES ONLY COMMANDER FOR

BX6732 A .

D.

TAT CEMMI

- MISSION ALERT MSG. ₿.
- 0230Z/28 OCT 67. C.

25X1A

NORTH VIETNAM

TYPE I, CAMERA.

25X1D

25X1D

- 9. BACK-UP AIRCRAFT REQUIRED. SAME EQUIPMENT AS PARA F.
- DIFC TO LAUNCH BACK-UP ACFT AT APPROX 23302703 OCT 57
- IN EVENT PRIMARY ACFT GROUNDVAIR ABORTS. THIS ALERT FOR BLACK
- SHIELD CANNED ROUTE NER 22B. FIRST PASS PRIMARY ROUTE ONE
- ALFA, OPTION ONE BRAVO. SECOND PASS PRIMARY ROUTE
- TWO BRAVO, OPTION TWO ALFA. A-50 ADDITIVE WILL NOT
- BE USED ON THIS MISSION.
- PLS ADVISE PLANNED TANKER RECOVERY BASE.
- TOPSECRET

Approved For Release 2001/04/02: CIA-RDP69B00041R001100010013-2

Next 4 Page(s) In Document Exempt

270cr67 14 55z

NNNNZCZCØ66

667/271451Z ZFF-1

BT

XXXXX

5.3

25739

25X1A

25X1A

T 0 P S E C R E T 271449Z CITE 2662

IMMEDIATE

REF A. BX6732

9842

25X1A

25X1A

25X1A

PROJ HOS CONCURS WITH CAMERA DATA CONTAINED IN REF B;

I.E., 1/170 FOR BOTH PASSES.

TOPSECRET

BT

Dem

一 一 日 東北 東京 ディ

270cm 07 20 112

25X1A

25X1A

TOPSECRET 271944Z CITE

2694

25X1A

25X1A

INFO PRIORITY IMMEDIATE

BLACK SHIELD OXCART OFS

7938

REF

25X1A 25X1A

REPORT SUBJECT:

1. PROJECT HOS HAS COMPLETED REVISED COMPUTER PROGRAM REPORT WHICH INCLUDES THE USE OF REFLECTANCE FOR FACTORS (R VALUES) TO DETERMINING THE EXPOSURE NUMBERS FOR TYPE I CAMERA CONFIGURATION. THESE EXPOSURE NUMBERS WILL BE USED BY CAMERA CONFIGURATION PERSONNEL TO CUT PROGRAMMER TAPE FOR TYPE I CAMERA. CORRESPONDING SHUTTER SPEEDS AND PROGRAM TAPE CODES ARE GIVEN IN TABLE 2-2 OF THE STANDARD

TYPE I P.I. MANUAL. 2. TABLES USED TO DEVELOPE NEW COMPUTER PROGRAM ARE FOUND IN PRELIMINARY REVISION TO TYPE I PHOTO INTERPRETERS MANUAL DATED 20 SEPT 67.

3. EFFECTIVE WITH THE NEXT BLACK SHIELD OPERATIONAL MSN CIVING EXPOSURE NUMBERS AND SHUTTER T.E., BX6733 THE

25X1A

SPEEDS WILL BE DISCONTINUED AND THE

EXPOSURE NUMBERS

25X1A

25X1A

WILL BE USED ON ALL FUTURE BLACK SHIELD MISSIONS.

25X1A

FYI NOT NECESSARY TO HAVE TABLES REFERRED TO IN PARAS PROCEDURE. ABOVE IN HAND TO IMPLEMENT THE REVISED

ARE IN RECEIPT OF

25X1A 25X1A

REVISION CITED IN PARA 2 AND ADVISE.

INSURE THAT

TOPSECRET

DCM

Approved For Release 2001/04/02 : CIA-RDP69B0004/R001100010013-2

BT

21,	HOUR GENERATION CHECKLIST (CONT) FAI FIGH NUMBER OF THE STATE OF THE S	32-10-14-16-14-16-14-16-16-16-16-16-16-16-16-16-16-16-16-16-	5 6530d/2	€GSHTKUIL OA	₹40013 [©]	SC 127		
ITA	TASKS REQUIRED	H-HCUR START	H-HCUR CCMP	ACTUAL TIME COM	THE		G. C	ALLED
		JIMI		CGH	FRI	ÆC	ikI	EC
30	ENGINE START		H-00:30	1100				
31	TAXI		H-00:20	1110				
32	RECOVERY GEAR IN LACE		H+1	1230	1230			
							4 2 2	10/4/2
		<u> </u>			and the second			
	POST MISSION LANDING CHUCKLIST	L4-HOUR	L+HCUR		100			
								Mil
1	LAND AND CCCL AIRCRAFT /530	I+00:00	I+00:30	1600		, i i		
2	SECURE ACFT AND SERVICE ENG GIL	1.400:30	1.401:15	1645			1	
3	AND GIVE TO (31)	IHC0:30	L+01:15	1645				
4	REMOVE VIEWFINDER FILM STREET AND MAIS 25X1A	L+66:30	L+01:15	1645		1 4		
5	REFOVE 25X1A	L+00:30	L+01:15	1645				
6	MAINTENANCE DEBLIEF	1.+00:45	LH01:15	1645	1620			de Carana
7	REMOVE INSTRUMENTATION ACKAGE	I+01:00	1+01:15	1645				
8	MOVE ARTICLE INT. HANGAR	L+01:15	L+01:30	1706		7.7		
9	DOUNLOAD I ACKAGE	1#01:30	L+02:30	1800	LIKAK			
10	25X1A		1.+03:30	1900	,A	. Was		
미			L+04:15	1945			100	
12	"TAKE" TO SUFFLY		L+05:00	20,30	1600	=	والإنااة	
15%1	A PACKAGE JUBERT 25X1A		1505:00	2030	1700	=	117	
14	TO SECULL TY 25X1A		L+05:00	20,30	1111		R VA	
15	RUN TC SECURATY		L+05:00	2030	100	The st		
16	TU SECURITY 25X1A		L+09:00	2030				
17	INS SUBMIT 25X1A		L+20,00	2130			7.00	
				200				
				†			 	
						1		
	Approved For Release 2001/04/02 :	CIA-RDF	69B0004	R001100	010013-2			
		<u></u>	<u> </u>	J		L	J	4

		32 -	ULT 6/ 12	2 /			FICATION	CL AS\$IF1	SECURITY C
		45.5	•			IULTI SINGLE	воок ми	186	TYPE MS
							ECEDENCE) FI C. M.
F. 125 Westerman					DTG			RIORIT	CTION PR
INSTRUCTIO		4			Carrier Contract	M:	FROM		25X1A
G CPN.	1 SIG				Control of the second		TO:		25X1A
							: O:		25X1A
0	1 DCO				LITY	FO: PRIO	IM		25X1A
								UBJ:	នប
	5				2	R. BX673	ssion ne	. MIS	Α.
			· ·		INS DATA.	NOITAU.	INAL E V AL	. FI	В
					·		is ølø	. IN	C.
					TIE dedi	rs line 23	ATA START	. DA	D.
				••	THE 1312	LINE 1058	TA ENDS	DA:	
		L592,	1583 AND 11	TDES 1	ING BETWEEN	IM RECORI	LAPSED TI	EL	
	î.		T DIGIT.	HIFICAL	ng least si	HAS MISSI	INE 871,	LI	
						1587.	CCEST 11	SU	
			AGE	P MES	END (
									,
TIME	DATE								
YEAR	меная		25X1A					٨	0EV4.4
NO. 67	PACEOPS.	<i>3</i>						4	25X1A
				RE	PHONE		AND TITLE	NAME A	
				¥ 1					
				S E R					
			NG INSTRUCTION	SER SER	ervisor				R F T E

ির রেখা "Approved For Release 2001/04/02 : CIA-RDP69B00041R001100010013-2 905/0321372 LT XXXXX 25X1A sections 1-CO 25X1A 25X1A C-DCO TOPSECED TO MICHOLZ CITE 25X1A PRIORITY OXCART ELACK SHIELD OFS 25X1A SUBJECT IS CRITIQUE JTEMS - OFFL MEN BX 6733 1. DURING RECENT PROJ HOS CRITIQUE/REVIEW OF EXSTUD FOLLOWING TWO DISCREPANCIES NOTES IN OPERATIONAL MISSIOM OPERATING PROCEDURES: A. CAMERA OPERATION: (1) MPIC PHOTO PLOT OF THE MISSION PHOTOGRAPHY VERIFIES THAT THE FIRST IDENTIFIABLE FRAME ON THE 25X1D SECOND PASS IS COORDINATES OF THE MADIN -POINT AT THIS TIME ARE 21-28M: 103-58E INDICATING THAT CAMERA TURN ON WAS ACCOMPLISHED APPROXIMATELY SIX MINUTES LATER THAN PROGRAMMED TURN ON TIME /FOINT 25X1A STIPULATED IN THE - CAMERA WAS TO BE TURNED ON AT GEO1/280 (20-000: 121-42E). (2) PROVEST YOU REVIEW THIS SUBJECT IN DETAIL 25X1A WITH ALL PROJECT PILOTS AND PARTICULARLY WITH TO DETERMINE REASON FOR APPARENT DELAY IN CAMERA OPERATION ON SECOND PASS. PLS ADVISE PROJ

- (3) IT IMPLIEDTIVE THAT CAMERA ON/OFF POINTS/TIMES
- LE STRICTLY ADHERED TO ON ALL OPERATIONAL MISSIONS.

1: DROPPING OFF THE BOOM PRIOR TO END A/R -

25X1A

25X1A

25X1D

FILOT REPORT

VERIFIES THAT ARTICLE HAD

67M ON GOARD AND DROPPED OFF THE BOOM SOME 55NM PRIOR FO

FND OF SEÇOND

AZE. AT THIS FOING AIRCHAFT

STARTED TURN AND INITIATED CLIMB FOR SECOND PASS

ACROSS DENIED. REALIZE THIS PROCEDURE IMPROVES FUEL

RESERVE OVER DESTINATION HI-CONE; HOWEVER, PROJ HO

DOES NOT CONSIDER IT DESIRABLE FOR FOLLOWING REASONS:

- (1) THE DECREASED CLIMB DISTANCE AVAILABLE DEGRALES CAPABILITY TO MAKE GOOD MINIMUM PENETRATION ALTITUDE/
 SPEED THUS DIPECTLY AFFECTING VULNERABILITY FOR SECOND PASS.
- (2) AIRCRAFT IS OPERATING OUTSIDE THE COORDINATELY.
 APPROVED AIRSPACE BLOCK.

25X1D

EARLY DROP OFF THE BOOM FOR A/R NR 2.

2. EXCEPT FOR FLIGHT SAFETY CONSIDERATIONS; I.E., WEATHER, FUEL RESERVES, THREAT FROM ENEMY DEFENSES, ETC., OPERATIONAL MISSIONS MUST BE ERIEFED AND FLOWN IAW PROJ HQ FLT PLAN AND MISSION GENEATION MESSAGES AND TAC DOCTRINE.

TOPSECRET

ET

31 Oct 87 21 35#

HMMNZCZC459

FTP212/312130Z ZFF1 ZP0

25X1A

BT

XXXXX

25X1A

25X1A

TOPSECRET 312124Z CITE

25X**25**X1A

IMMEDIATE INFO

25X1A

A. BX 5732

- B. INS TAPE EVALUATION REPORT
- C. INS 010
- D. 29/1505Z
- E. 1. SATISFACTORY
 - 2. SATISFACTORY
 - 4. SATISFACTORY
 - 5. SATISFACTORY
 - 6. SATISFACTORY
 - 7. SATISFACTORY
 - 8. SATISFACTORY
 - 9. SATISFACTORY

10. BETWEEN E.T. 06835 AND 06844 THE E.T. RECORD IS IN ERROR IN THE UNITS DIGIT. RECORD READS 06849 AND WAS CORRECTED TO READ 06840.

HETWEEN E.T. 11583 AND 11592 THE UNITS DIGIT WAS MISSING ON THE E.T. RECORD. CORRECTION WAS MADE TO READ E.T. OF 11587.

F. TAPE APPEARS SATISFACTORY. ERRORS CAN BE SALVAGED. TAPE
EVALUATION PERTAINS TO CAMERA OPERATION ONLY.

TOPSECRET

BT

	JOINA IMESOACET	JRAY-ROMANA	760150AP	2 : CIA-RDP69	B̂∂0041R001	100010013	-2
580M		0004	IMMEDIAT	E IMMEDIATE	29 Oct 67 0	2 8 z 25)	
	TO:		INFO:			1 COMD	
A.	BX-6732			25	X1A	I DCP I P.B.	•
В.	TYPE I CAMER	A CONFIGURATION	ON REPORT			1 DCO	•
C.	I/F/28 OCT/13			25X1	Δ	ir di	· •,
D.	525/525			20/(1	,		
E.	525/525			÷			
F.	FEIRNIA 3/	,04/1301/273-5	5/17-3-11-6	,			
G.	5.6/YELLOW WE						
Н.	58/54						
	57/57						
I.	03472/04072					5.	
	0506Z/0520Z						
J.	0-44/170/.039	CLOUD					
	NA						
L.	AS BRIEFED -	POSITION 3 FOR	R MAJORITY	OF BOTH RUNS.			
	BS SECURITY 2			or sorn nong.	25X1A		
	SUCCESSFUL MI						
		END OF MSG				25X1A	05)/4/
. /				RELEASER			25X1A
D							
		• •					
					·		
MBOL				NR OF SECURITY CLASSI	FICATION	<u> </u>	INITIALS

MNNN2C2C244

914/2982872

ET

XXXXX

25X1A

25X1A

No a

SECRET 2902017 CITE 2834

PRIOFITY

25X1A

25X1A

25X1A

25X1A

RE 1950

PARA E REF, PLS ADVISE WHICH PORTION FIRST PART

25X1A

OF MISSION MENTIONED REF UNDEREXPOSED. WE ARE INTERESTED IN ASCEPTAINING IF OCCURED OVER LAND MASS AND IF SO IDENTIFY COORDINATES OF INCLUSIVE AREAS FLIGHT LINES UNDEREXPOSED.

SECRET

BT

MMMM

28/1952 =

25X1A

DCM

Provide A

25X1A

TOPSECRET 281815X CITE

1060

IMMEDIATE INFO IMMEDIATE

OXCART

25X1A 25X1A 25X1A

A. BX 6732

B. FLASH REPORT AFTER PROCESSING

C. TYPE I

D. F

E. THE FILM ARRIVED IN GOOD PHYSICAL CONDITION WITH NORMAL EXPOSURE WITH EXCEPTION OF UNDEREXPOSURE IN FIRST PART OF THE MISSION AND AGAIN APPROXIMATELY 60 PER CENT INTO THE MISSION OVER 20 FRAMES.

THESE FRAMES WERE THE EQUIVILENT OF 2 F/STOPS UNDEREXPOSED. MEDIUM CONTRAST, GOOD RESOLUTION AND OPERATIONAL DATA RECORDING WERE NOTED. APPROXIMATELY ONE HALF OF ALL FORWARD CLOCKS IN IMAGE AFEA THROUGHOUT ENTIRE MISSION. EDGES BETWEEN FORWARD AND AFT FRAMES WERE FUZZY. TIMING MARKS APPEARED AS TEARS AND DASHES INTERMITTENTLY THROUGHOUT MISSION. START UP AND SHUTDOWN WERE NORMAL WITH INITIAL SIX FRAMES AND LAST TEN FRAMES OVERLAPED. CAMERA RECYCLED

TOPSECRET

H

	Submit to addressees specified for report	
- sag ^a		25X1A
A.	Bx 6732 (Operations Mission Number)	05V4A
B.	TYPE I CAMERA CONFIGURATION REPORT.	25X1A
C.	I /F 28 Oct. 31 (Config. /SN/Date Flown/Acft No. /Pilot rseudo. Example: I/A/NOV 28/127	
$\mathbf{\tilde{D}}^{n}$	575 / 575 (Total frames scheduled-fwd camera & aft camera).	25X1A
E.	525 / 525 (Total frames completed-fwd camera & aft camera).	. स्टेड्र १ - १ - १ १
F.	3404 1 1301 1273-5/27-3-11-6 (Film type/box no./emulsion no. Example: 3h01/123h/2h5-13-3-6).	
G.	5.6/YELLOW, WRATTEN 12.	
H.	SUN ANGLES.	िक्त हर १८० १८०
	BEGINNING END	i de Series Series Series
	58°1 54°.	
. •	57°/ 57°.	
I.	CAMERA ON CAMERA OFF (Date/Time ZULU. Example: 2821182/2821	302).
	0363 Z/ 0413 Z. 05 ZO	
	0506 2/ - Z.	
,	Z/Z.	
J.		/200/.039.
0-	44 1 170 1.039 CLOUD	
1. 1		
	Approved For Release 2001/04/02 : CIA-RDP69B00041R00110001	0013-2
	/ / .	

25X1A

CONT "D

	K. N/A.							
	L. WEATHER. As Brie	(General	comment on Osition 3	weather du	ing photo	portions of both re	f mission	
25X1A	M. TAKE DISF	POSITION (1 EK 29013	Location, sh 5Z or Area S	ipment, or security 290	action on 0135Z)	material -		e ZVLU.
	N. COMMENTS. malfuncti	ons or mi	Include gene ssion proble	eral remarko ms).			tion oper	ation,
4								
•	t:			1				

Ap	proved For Release 2001/04/02 : CIA-RDF 9B0004 R00110001001	3-2
33.	CODA XEEO XEEO XEEO XEEO XEEO XEEO XEEO XEE	
	TOPSECRET	
	FROM: Mission Coordinator 27 Oct 196 7	
	SUBJECT: Mission Alert Notification	
	TO: (See Below)	
	Request your attendance at the Commander's Briefing to be hel	.d
	in the Operations Briefing Room on 27 October 1967 a	t
	$\frac{1200}{1}$ L. The briefing concerns the following:	
	1. Mission Code Name and Number: BX 6732	•
	2. Date/Time df Launch (H-Hour): 28 / 02802/ //3025	(1E
・ 教育を経済を出た。「これでは、 東京の主義とは、これでは、主義を行 中心には、1987年に対象と対象があません。	3. Ground Spare (H+1:00): 26 / 3: Z/ / 3. L	•
	4. Bases: Takeoff KADENA Staging , Landing KADE	NA
1 D	5. Equipment required: TVPE I (AMERA,	
	6. Ground Spare Requirements: Same 45 Primary	
	O. Ground Spare Redutrements: SAME AS PRIMIRY	
	7. Special Instructions/Comments: A-50 ADDITIVE	
2 5X1A	WILL NOT BE HAVE	
	FOR THE COMMANDER	
	Mission Coordinates	
	Office Time(L) Recipient Office Time(L) Recipient	
	CMDR DCOL DCOC/MG	
	DCM DCOMI DCOW	
	SECUR COMMO FLT SURG AFCS (Notify Only)	
	DCOM TTFC(SAC (Notify Only)	
	F / HANGAR TOP SECRET	
121		
		把對於